

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Bio-T/2 - 15mg

Tested for: BioBoost Labs LLC

157 Stardust Trail | BioBoostLabsLLC.com

COA #: COA-2026-60CHIU
Lot Number: TZ15-PK-0533
Accession #: ACC-2026-5705
Labeled Content: 15mg

Analysis Date: 06/30/2026
Appearance: Good
Sample Matrix: Lyophilized
Vial Size: 3mL
Date Received: 06/19/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: JMGHBLQ

Method: Full QC Panel

Identity	Peptide Purity	
Bio-T/2	99.93%	 Fentanyl Free

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.93%	%	PASS
Net Peptide Content	Report Only	16.07	mg	N/A
Identity (HPLC-RTM)	Tirzepatide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS




Bio-T/2 15mg - TZ15-PK-0533

Additional Tests

Analyte	Specification	Result	Unit	Status
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



Bio-T/2 15mg - TZ15-PK-0533: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
6/30/2026

COA #: COA-2026-60CHIU
Access Code: JMGHBLQ
Verify: portal.ils-lab.com/verify/zXWqzYI5RxkVhiXL
Issued: 6/30/2026

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.082 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 06/30/2026. Methods: Full QC Panel; Additional Tests.
2. The sample was confirmed to be Bio-T/2 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.




Dr. Greg Kalyuzhny
Lab Director
6/30/2026

COA #: **COA-2026-6OCHIUI**
Access Code: **JMGGHBLQ**
Verify: <portal.ils-lab.com/verify/zXWqzYl5RxkVhiXL>
Issued: 6/30/2026